

Test Verification of Conformity

Verification Number: 21KFP0005-01

On the basis of the referenced test report(s), sample(s) tested of the below product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it <them>. This verification replaces previous verification dated: 19-June-2020: 200527017GZU-VOC001

Once compliance with all product relevant **CE** mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Antragsteller Namen & Addresse: Applicant Name & Address:

Produkt: **Product Description:** Technische Daten: Ratings & Principle Characteristics:

Modelle/Typen: Models/Type References:

Warenzeichen/Brand Name: Prüfgrundsatz/Norm<en>: **Relevant Standards/Directives:**

Ausstellendes Prüfhaus Name & Addresse: Verification Issuing Office Name & Address: Prüfbericht<e>: Date of Tests:

SCAFFOLDS PLANT CO. LTD.

ROOM 108, BUILDING 2, KORPIKOVO INDUSTRIAL ZONE GATCHINSKIY DISTRICT, LENINGRADSKIY REGION, 188301 **Russian Federation** Mehrzweckleitern (Aluminium) Combination ladders (aluminum) max. Belastung (max. load) 150kg Gesamthöhe stehend (height of ladders in standing position): max 6292mm Gesamthöhe angelehnt (ladder length as leaning ladders): max 9492mm (Einzelheiten siehe Anhang / details see annex) 4220207 (2x7 Sprossen/rungs), 4220208 (2x8 Sprossen/rungs), 4220209 (2x9 Sprossen/rungs), 4220210 (2x10 Sprossen/rungs), 4220211 (2x11 Sprossen/rungs), 4220212 (2x12 Sprossen/rungs), 4230311 (3x11 Sprossen/rungs), 4230312 (3x12 Sprossen/rungs), 4230313 (3x13 Sprossen/rungs), 4230314 (3x14 Sprossen/rungs) VIRA DIN EN 131-1:2019 DIN EN 131-2:2017 DIN EN 131-3:2018 Intertek Deutschland GmbH, Stangenstr. 1 70771 Leinfelden-Echterdingen, Germany

2238857KAU-003:2020-12-22

Signature

Name: Jörg Krause **Position: Reviewer** Date: 12.01.2021

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 21KFP0005-01

Hersteller Name & Addresse: Manufacturer Name & Address: Technische Daten: Additional technical specifications: SCAFFOLDS PLANT CO. LTD. ROOM 108, BUILDING 2, KORPIKOVO INDUSTRIAL ZONE GATCHINSKIY DISTRICT, LENINGRADSKIY REGION, 188301 Russian Federation Stärke der Aluminium-Profile (thickness of aluminium ladder's stile profile): Profile of aluminium stiles (4230313, 4230314): 98.7mm x 22.7mm Profile of aluminium stiles (4230312): 83.5mm x 22.7mm Profile of aluminium stiles (4230311): 83.5mm x 22.7mm and 71.5mm x 22.7mm Profile of aluminium stiles (4220207, 4220208, 4220209): 61.5mm x 22.7mm Profile of aluminium stiles (4220210, 4220211, 4220212): 71.5mm x 22.7mm

Signature

Name: Jörg Krause Position: Reviewer Date: 12.01.2021

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.